

# TOSHIBA

**e-STUDIO408P**

**e-STUDIO478P**

## Product brochure

---

- Reliable A4 monochrome printers to boost the efficiency of small and medium sized businesses or workgroups.
- High quality printing on a broad range of media at speeds of up to 40/47 pages per minute respectively.
- Designed to meet the highest environmental standards, the printers have a low energy consumption, helping save money and resources.



**TOGETHER  
INFORMATION**

## Ready When You Are


For day-to-day business, you need a printer you can rely on, which delivers impeccable document output every time you print. Toshiba's e-STUDIO408P and e-STUDIO478P offer just that. With a print speed of 40 and 47 pages per minute (ppm) respectively and a fast first print output time, these productive printers are ready when you need them.

Compatible with most operating systems the printers are easy to install and even easier to use. Thanks to their network capability and their mobile printing features the e-STUDIO408P and e-STUDIO478P are ideal for small- and medium-sized businesses and workgroups. And if needed, they can grow with your needs, e.g. by adding additional paper sources to increase the capacity. For more advanced functionality the e-STUDIO478P comes with a large range of further options, which will enhance your efficiency even more.

High-level security features are of course standard for the e-STUDIO408P and e-STUDIO478P and protect the devices from unauthorised access.



## Configuration



# Specifications

e-STUDIO408P

## General

<b>Print Speed</b>	40 ppm
<b>Warm-up Time</b>	Approx. 9 seconds (from sleep mode)
<b>Paper Size &amp; Weight</b>	A6-A4/custom, 60-120 gsm (Cassette) 76x127 mm - 216x356 mm, 60-216 gsm (Bypass)
<b>Paper Capacity</b>	1x 250 sheets (Cassette), 1x 100 sheets (Bypass) Maximum 900 sheets
<b>Inner Output Tray</b>	150-sheet capacity
<b>Automatic Duplex</b>	A4/custom, 60-90 gsm
<b>Control Panel</b>	2 line OLED display
<b>Memory</b>	Standard: 512 MB, Maximum: 512 MB
<b>Interface</b>	10Base-T/100Base-TX/1000Base-T (incl. IPv6), High Speed USB 2.0
<b>Dimensions &amp; Weight</b>	399 x 374 x 260 mm (W x D x H), ~ 14 kg
<b>Starter Kit</b>	Starter cartridge with Toner and Imaging unit

## Print

<b>Resolution</b>	Maximum 1,200 x 1,200 dpi
<b>First Print Output Time</b>	Approx. 6 seconds
<b>Page Description Language</b>	PCL 6, PCL 5, PostScript 3 and PDF v1.7 emulation, XPS, PPDS
<b>Supported Systems</b>	Windows 10/8/8.1/7, Windows Server 2016/ Server 2012/ Server 2008 (32/64 bit), Windows Server 2012 R2/Server 2008 R2 (64bit), Mac OS X 10.6-10.11, Linux/Unix, Novell NetWare, Citrix, SAP
<b>Mobile Printing</b>	AirPrint, Mopria Print Service, Google Cloud Print
<b>Print Functions</b>	Universal Printer Driver, Multiple pages per sheet, Envelope printing

## System & Security

<b>System Features</b>	Energy saving modes, Automatic toner saturation/ darkness adjustment
<b>Accounting &amp; Security</b>	Private print, IP address filter, Port filter, Support of SNMPv3, Operator Panel Lock

## Options

<b>250-sheet Drawer</b>	250-sheet capacity, A5-A4, 60-120 gsm
<b>550-sheet Drawer</b>	550-sheet capacity, A5-A4, 60-120 gsm
<b>Swivel Cabinet</b>	
<b>Printer Stand</b>	
<b>Adjustable Printer Stand</b>	
<b>User Flash Memory</b>	
<b>Wireless LAN Module</b>	
<b>Security Element</b>	

<sup>1)</sup> Optional



e-STUDIO408P  
standard configuration



e-STUDIO408P  
w/ 550-sheet Drawer



e-STUDIO478P  
w/ 2x 550-sheet Drawer



e-STUDIO478P  
w/ 3x 550-sheet Drawer

# Specifications

e-STUDIO478P

## General

<b>Print Speed</b>	47 ppm
<b>Warm-up Time</b>	Approx. 9 seconds (from sleep mode)
<b>Paper Size &amp; Weight</b>	A6-A4/custom, 60-120 gsm (Cassette) 76x127 mm - 216x356 mm, 60-216 gsm (Bypass)
<b>Paper Capacity</b>	1x 550 sheets (Cassette), 1x 100 sheets (Bypass) Maximum 2,300 sheets
<b>Inner Output Tray</b>	250-sheet capacity
<b>Automatic Duplex</b>	A4/custom, 60-90 gsm
<b>Control Panel</b>	6 cm (2.4") Colour LCD panel
<b>Memory</b>	Standard: 512 MB, Maximum: 512 MB
<b>Interface</b>	10Base-T/100Base-TX/1000Base-T (incl. IPv6), High Speed USB 2.0, WLAN <sup>1)</sup> (IEEE802.11 ac/a/b/g/n 2x2 MIMO Wireless)
<b>Dimensions &amp; Weight</b>	399 x 374 x 303 mm (W x D x H), ~ 15.8 kg
<b>Starter Kit</b>	Starter cartridge with Toner and Imaging unit

## Print

<b>Resolution</b>	Maximum 1,200 x 1,200 dpi
<b>First Print Output Time</b>	Approx. 6 seconds
<b>Page Description Language</b>	PCL 6, PCL 5, PostScript 3 and PDF v1.7 emulation, XPS, PPDS
<b>Supported Systems</b>	Windows 10/8/8.1/7, Windows Server 2016/ Server 2012/ Server 2008 (32/64 bit), Windows Server 2012 R2/Server 2008 R2 (64bit), Mac OS X 10.6-10.11, Linux/Unix, Novell NetWare, Citrix, SAP
<b>Mobile Printing</b>	AirPrint, Mopria Print Service, Google Cloud Print
<b>Print Functions</b>	Universal Printer Driver, Multiple pages per sheet, Envelope printing

## System & Security

<b>System Features</b>	Energy saving modes, Automatic toner saturation/darkness adjustment
<b>Accounting &amp; Security</b>	Private print, IP address filter, Port filter, Support of SNMPv3, SSL and IPsec protocols, 802.1x authentication <sup>1)</sup> , Operator Panel Lock

## Options

<b>250-sheet Drawer</b>	250-sheet capacity, A5-A4, 60-120 gsm
<b>550-sheet Drawer</b>	550-sheet capacity, A5-A4, 60-120 gsm
<b>Swivel Cabinet</b>	
<b>Printer Stand</b>	
<b>Adjustable Printer Stand</b>	
<b>User Flash Memory</b>	
<b>Wireless LAN Module</b>	
<b>Forms and Barcode Card</b>	
<b>PRESCRIBE Card</b>	
<b>IPDS Card</b>	
<b>Security Element</b>	

<sup>1)</sup> Optional

