

TOSHIBA

e-STUDIO5516AC

e-STUDIO6516AC

e-STUDIO7516AC

Product brochure

- > A fully customisable user interface and the support of cloud and mobile printing makes the integration into document workflows easier than ever.
- > A3 multifunctional colour systems for businesses that require high volume document output with impeccable quality.
- > Impressive print speeds of up to 75 pages per minute in colour and a paper capacity of up to 6,020 sheets for increased productivity.



**TOGETHER
INFORMATION**

Connect. Integrate. Simplify.

Technology for every office, delivering advanced functionality, ease of use and peace of mind

Every business is unique. That's why Toshiba offers customisable solutions that can be tailored to your needs. Our solutions simplify complex tasks while managing diverse information efficiently and safely to maximise your productivity.

The Toshiba e-STUDIO7516AC series is configurable to provide tailored and cost-effective solutions. Toshiba devices ensure that businesses are managing their information in the most effective way while helping them to meet their green objectives.

Fast, sleek and versatile

Toshiba's high-end A3 colour line-up has an ultra-modern look and houses the latest technology with brilliant print quality, delivered at a speed of up to 75 pages per minute in colour as well as up to 85 pages per minute in monochrome.

- Advanced Toshiba e-BRIDGE Next controller technology produces high-quality document output with a resolution of up to 1,200 dpi x 1,200 dpi.
- Print speeds of 55/65/75 ppm in colour and 65/75/85 ppm in monochrome.
- High-speed, high-capacity Dual Scan Document Feeder (DSDF) for rapid document processing.
- RGB substitution allows accurate colours with office applications.
- Auto-calibration ensures consistency of colour across small and large print jobs.

Simple. Smart. Stylish.

An intuitive 26 cm (10.1") tablet-style touch screen is easy to use and fully customisable to tailor settings and automate workflows – including the integration of third party solutions resulting in simple operation and improved efficiency.

The interface allows you to streamline complicated multi-step processes into automated one-touch functions.



Toshiba Innovation at its Finest

When it comes to seamless workflows and simplified integration, the e-STUDIO7516Ac series represents the finest Toshiba has to offer. The latest e-BRIDGE Next technology enables the systems to offer embedded applications, and integration with third-party services.

While AirPrint and Mopria both support the printing needs of mobile device users, Wi-Fi Direct simplifies access to the MFP. Toshiba's exclusive e-BRIDGE Print & Capture app enables additional printing features and the ability to scan documents back to tablets or smart phones.

As each company has different ways of storing and sharing data, these colour systems can be equipped with apps, which meet your business requirements or preferences. Whether you wish to connect to cloud services or local applications, we have the solution.

Cloud Solution Apps

- e-BRIDGE Plus for Box
- e-BRIDGE Plus for Dropbox
- e-BRIDGE Plus for Google Cloud Print
- e-BRIDGE Plus for Google Drive
- e-BRIDGE Plus for OneDrive
- e-BRIDGE Plus for OneDrive for Business¹⁾
- e-BRIDGE Plus for SharePoint Online¹⁾
- e-BRIDGE Plus for Exchange Online¹⁾

Workflow Solution Apps

- e-BRIDGE Plus for Barcode Scan
- e-BRIDGE Plus for USB Storage
- e-BRIDGE Plus for Green Information

To ensure you have the perfect fit, our team of software developers can create customised apps for you.²⁾

¹⁾ Embedded app for Microsoft Office 365

²⁾ Optional

Impressive security

The advanced features of the e-STUDIO7516Ac series help secure your data. Protecting your sensitive data is top priority when designing our products – which is why we offer a large range of built-in and optional features:

- The self-encrypting Toshiba Secure HDD provides top level security making unauthorised access to the data virtually impossible.
- By adding optional security functions the systems conform with HCD-PP v1.0 and are Common Criteria certified.
- User authentication provides an extra layer of security while granting direct access to the user's print jobs at the same time. We offer a large range of card and biometric readers with different features to meet all your needs.

Environmental protection

Protecting the environment is embedded in our corporate philosophy and we ensure that our products comply with the highest environmental standards. Exceptional Typical Energy Consumption (TEC) values and a low power sleep mode are just some examples of how we can help you save valuable resources.

With the e-BRIDGE Plus for Green Information app you can follow your environmental contribution directly on the screen of the MFP. It provides simple graphs and helps promote a more effective use of paper.



Innovative Features. Versatile Connectivity.

The Toshiba e-STUDIO7516AC series helps workgroups connect, integrate and simplify while improving efficiency, productivity and offering high quality .

Robust High Speeds include 55/65/75 brilliant colour pages per minute and 65/75/85 monochrome pages per minute, respectively.

Toner Change On-The-Fly allows you to replace toner cartridges while the MFP is printing.

Embedded Optical Character Recognition¹⁾ (OCR) simplifies the creation of searchable PDFs or prepares for editable document formats such as Microsoft Word.

Print from USB for quick and easy printouts. If necessary, the MFP will automatically scale your documents to fit the available paper size.

Scan to USB is great for working with your documents when on the go. With the possibility to create PDF/A-2 files your documents are ready for long-term archiving.

Scan and Fax Preview allows to review, rotate and modify your scanned documents or incoming faxes before saving or printing them.

Bluetooth/Wi-Fi¹⁾ to simplify workflow processes at the MFP and enable Wi-Fi Direct printing – ideal for mobile users.

Mobile Printing gives you full flexibility and lets you easily connect to mobile devices via AirPrint, Google Cloud Print or Mopria Print Service.

Barcode Printing gives you the possibility to send print data from your ERP system directly to the MFP. The barcode sequence is automatically processed and printed without the need of additional middleware.

¹⁾Optional



Configuration



Highlights

e-BRIDGE-Next Technology

Toshiba's e-BRIDGE Next platform enables the seamless integration of third party solutions. The MFPs are fully customisable by adding e-BRIDGE Plus applications that connect to cloud solutions or local applications. For the perfect fit, e-BRIDGE Next can run with customised apps.

Multi Station Print

Toshiba's serverless printing solution allows users to send print jobs from their desktop and retrieve them at up to 50 different MFPs by simply swiping their badge and authenticating at that device. Easily make last-minute changes to a print job or re-print previous jobs directly on the MFP.

Dual Scan Document Feeder

The 300-sheet capacity, high-speed, high-capacity document feeder comes as standard on the e-STUDIO7516Ac series and seamlessly scans both sides of each page in a single pass – producing up to 240 crystal-clear images per minute.

Specifications

General

| | |
|--------------------------------|---|
| Print & Copy Speed | Colour: 55/65/75 ppm (A4) 27/30/37 ppm (A3) Monochrome: 65/75/85 ppm (A4) 30/37/40 ppm (A3) |
| Warm-up Time | Approx. 15 seconds from low power mode |
| Paper Size & Weight | Cassettes: A5R-320 x 460 mm, 60-256 gsm Tandem LCF ³⁾ : A4, 60-256 gsm Bypass: 100 x 148 mm-330 x 483 mm, 60-300 gsm, banner paper (up to 313.4 x 1,200 mm, 90-163 gsm) |
| Paper Capacity | 4x 540 sheets (Cassettes) or 2x 540 sheets (Cassettes) + 1x 2,320 sheets (Tandem LCF) ³⁾ , 1x 120 sheets (Bypass) Maximum 6,020 sheets |
| Automatic Duplex | A5R, A4, A4R, A3, A3+ (305 x 457 mm), SRA3 (320 x 450 mm), 320 x 460 mm and other formats, 60-256 gsm |
| Controller Type | Toshiba e-BRIDGE Next |
| Control Panel | 26 cm (10.1") Multi-Touch Colour Panel |
| Memory | Toshiba Secure HDD 320 GB ²⁾ , 4 GB RAM |
| Interface | 10Base-T/100Base-TX/1000Base-T, High Speed USB 2.0, WLAN ³⁾ (IEEE802.11b/g/n), Bluetooth ³⁾ , Wi-Fi Direct ³⁾ |
| Dimensions & Weight | 955 x 698 x 1,227 mm (W x D x H), 213 kg |

Print

| | |
|----------------------------------|--|
| Resolution | 600 x 600 dpi, 5 bit, 1,200 x 1,200 dpi, 2 bit (equiv. 3,600 x 1,200 dpi) with Post- Script driver only |
| Page Description Language | PCL5e, PCL5c, PCL6 (PCL XL), XPS, PDF and PostScript 3 compatible |
| Supported Systems | Windows 10/8.1/7/Server 2008 (32/64 bit), Windows Server 2016/Server 2012 R2/Server 2012/Server 2008 R2 (64 bit), Mac OS X 10.6.8-10.13, Linux/Unix, Citrix, Novell SLES, SAP, AS/400 |
| Network Protocols | TCP/IP (IPv4/IPv6), IPX/SPX, EtherTalk, NetBios over TCP/IP |
| Colour Modes | Auto-Colour (ACS), Colour, Twin Colour, Monochrome |
| Colour Settings | ICC profile colour management, RGB substitution, Brightness, Saturation, Contrast, Colour Balance |
| Mobile Printing | e-BRIDGE Print & Capture, AirPrint, Mopria Print Service, Google Cloud Print |
| Print Functions | Universal Printer Driver, Driver Templates, Driver plug-ins ³⁾ , Print from USB, Hold print, Tandem printing, E-mail direct printing |

Scan

| | |
|-----------------------|--|
| Resolution | Maximum 600 x 600 dpi |
| Scan Speed | up to 240 ipm (300 dpi) in colour and monochrome via Dual Scan Document Feeder |
| Scan Modes | Auto-Colour (ACS), Colour, Greyscale, Monochrome |
| File Formats | JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PDF, PDF/A, PDF/A-2, Searchable PDF ³⁾ (and other formats like DOCX, XLSX) ³⁾ |
| Scan Functions | WS Scan, Scan to USB, Scan to E-Mail, Scan to File (SMB, FTP, FTPS, IPX/SPX, Local), Meta Scan ³⁾ , OCR scan ³⁾ , Scan to Box (e-Filing), WIA, TWAIN |

Copy

| | |
|-------------------------------|---|
| Resolution | Scan: 600 x 600 dpi Print: 600 x 600 dpi, 2,400 x 600 dpi with smoothing |
| First Copy Output Time | Colour: Approx. 6.4/6.4/5.4 seconds Monochrome: Approx. 5.2/4.5/4.1 seconds |
| Zoom | 25-400% (Platen), 25-200% (DSDf) |
| Copy Modes | Text, Text/Photo, Photo, Printed Image, Map, Image Smoothing |
| Colour Modes | Auto-Colour (ACS), Full Colour, Twin Colour, Mono Colour, Monochrome |
| Colour Settings | Hue, Saturation, Colour Balance, RGB adjustment, 5 one-touch modes |
| Copy Functions | Electronic Sort, Rotate Sort, ID Card Copy, Edge Erase, 2-in-1 / 4-in-1 mode |

Fax³⁾

| | |
|-----------------------------|--|
| Communication | Super G3, G3 - (opt. 2 nd line), Internet Fax T.37 |
| Transmission Speed | Approx. 3 seconds per page |
| Compression | JBIG, MMR, MR, MH |
| Fax Memory | 1 GB Transmission/Reception |
| Network-Fax | Driver for Windows 10/8.1/7/Server 2008 (32/64 bit), Windows Server 2016, Windows Server 2012 R2/Server 2012/Server 2008 R2 (64 bit) |
| Incoming Fax Routing | To shared folders (SMB, FTP, IPX/SPX), E-Mail, e-Filing |

System & Security

| | |
|----------------------------------|--|
| Device Management | Top Access for remote administration and configuration |
| System Features | e-Filing document server for secure storage, Document distribution and Print-on-Demand (1 public box, 200 user boxes), 12,060 one-touch templates for storage of personalised settings or workflows, Scan/Fax Preview, Rip-while-Print, e-BRIDGE Open Platform, Embedded Web Browser, Job Skip, PCL Barcode printing, e-BRIDGE Plus embedded apps |
| Accounting & Security | Role Based Access, LDAP support, 1,000 department & 10,000 user codes, Card Reader ³⁾ , Private print, Standard data encryption with Toshiba Secure HDD, Data Overwrite Enabler ³⁾ , IP and MAC address filter, Port filter, Support of SSL and IPsec ³⁾ protocols, IEEE802.1x support, CC certified (ISO/IEC15408) with HCD-PP v1.0 ³⁾ , Scan to Secure PDF, Pull-printing ³⁾ |

Options

| | |
|---------------------------------------|---|
| EXTERNAL LARGE CAPACITY FEEDER | 2,500-sheets capacity, A4, 60-256 gsm |
| MULTI-STAPLE FINISHER | 2 trays, 3,250-sheet capacity 50-sheet multi-position stapling A4R-A3, 60-105 gsm (stapling mode) |
| SADDLE-STITCH FINISHER | 2 trays, 3,250-sheet capacity 50-sheet multi-position stapling 5-sheet center folding Saddle-stitched booklets of up to 60 pages A4R-A3, 60-105 gsm (stapling mode) |
| HOLE PUNCH UNIT | Available in 2 holes (E), 4 holes (F) |

| |
|--|
| SIDE EXIT TRAY |
| FAX BOARD |
| WIRELESS LAN / BLUETOOTH MODULE (incl. Wi-Fi Direct) |
| e-BRIDGE ID-GATE |
| HARD DISK DRIVE 320 GB²⁾ (FIPS 140-2 STANDARD) |
| ACCESSORY TRAY |
| PANEL TEN-KEY OPTION |
| DATA OVERWRITE ENABLER |
| IPsec ENABLER |
| EMBEDDED OCR ENABLER |
| MULTI STATION PRINT ENABLER |
| HARD COPY SECURITY KIT |
| META SCAN ENABLER |
| UNICODE FONT ENABLER |
| ACCESSIBLE ARM |



¹⁾ e-STUDIO5516Ac LCF version only

²⁾ 1 GB = 1 billion bytes; the actual formatted capacity is less. Available capacity will also be less if software applications are pre-installed

³⁾ Optional

About Toshiba Tec UK

Toshiba Tec UK Imaging Systems Ltd is part of the globally operating Toshiba Tec Corporation, active in various high-tech industrial sectors.

Toshiba Tec Corporation is a leading provider of information technology, operating across multiple industries. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba Tec Corporation helps organisations transform the way they create, record, share, manage and display information.

For more information please contact us:

Toshiba Tec UK Imaging Systems Ltd.

Abbey Cloisters, Abbey Green, Chertsey, Surrey KT16 8RB

Telephone

+44 (0)843 2244944

Email

info@toshibatec.co.uk

Website

www.toshibatec.co.uk